








The 6th International Conference of Bionic Engineering
The International Symposium on Nature-Inspired Technology 2019

Bionic Innovations for Healthy Development

### **Abstract Book**



# The 6th International Conference of Bionic Engineering

## The International Symposium on Nature-Inspired Technology 2019

### Bionic Innovations for Healthy Development

23-26 September 2019, Changchun

Abstract Book

# INTERNATIONAL CONFERENCE OF BIONIC ENGINEERING 2019 INTERNATIONAL SYMPOSIUM ON NATURE-INSPIRED TECHNOLOGY 2019

#### ABSTRACT BOOK

Copyright©2019 is claimed by the committee of ICBE2019&ISNIT2019.

Edited by Zhenning Liu, Fangru Xie, Shengqi Liu Yan Liu, Dan Wang Chris D. Rudd, Li Guo, Hang Sun Jianqiao Li, Ximei Tian

#### **Foreword**

The joint meeting of 6<sup>th</sup> International Conference of Bionic Engineering (ICBE2019) and International Symposium on Nature-Inspired Technology 2019 (ISNIT 2019) organized by the International Society of Bionic Engineering (ISBE) and Korean Society of Mechanical Engineers (KSME) is held at Jilin University in Changchun on September 23-26, 2019. This conference aims to establish a closer relationship between scientists and engineers worldwide in the field of bionic engineering. The theme of ICBE2019 and ISNIT2019 is **Bionic innovations for healthy development**, which is geared towards exploring new ideas and accomplishments for the practice of bio-inspired design and manufacture, while offering innovative solutions. Attendees of this conference are invited to present papers related to the combination of biological information and mechanical engineering, materials science, agriculture engineering, rehabilitation and healthcare engineering, robotics, fluid, fabrication, and management *etc*. A broad range of topics and application areas will be devised to reflect the interdisciplinary nature of ICBE and ISNIT.

The main topics of ICBE2019 are as followings.

- Bionic/biological functional structures and surfaces
- Biomaterials & bionic materials
- Bionic machinery
- Management Bionics
- Healthcare engineering
- Biosensors and signal processing
- Robotics, motion systems and artificial intelligence
- Fluid and bionics
- Industrial applications in bionics
- Bio-inspired fabrication and bio-manufacturing

The conference has received over 400 research papers from delegates of more than 30 countries and regions. The present book selects 384 abstracts including 7 plenary speeches and 56 keynote papers. The conference proceedings of full papers will be in electronic format within the conference materials package.

Professor Luquan Ren

Conference Chair of ICBE2019 Jilin University, China

### **Contents**

Introduction to the Platform of Bionics Inter	rnational	1
Plenary Papers		2
P01 Scalability in Tissue Engineering		2
P02 Using Ecological Network Analysis to	o Design Sustainable Human Infrastructure	3
P03 The challenge of accurate characteri	zation of surface wetting	4
P04 Lightweight robotics with artificial in	ntelligence	5
	hatronics: Bionic Healthcare Engineering from Human a	
<b>P06</b> Petroleum Bionic Engineering - Todo	ay and Tomorrow	<i>7</i>
	sensor: Bionic Research on Sensing Technology	
Keynote Papers		9
· · · · · · · · · · · · · · · · · · ·	pired spindle-knotted surfaces for continuous and effectiv	
K02 Anti-cancer therapeutic inspired by t	the burr of the thistle plant	10
K03 Collective Motion- From Fish Schoo	ling to Swarming Drones	11
K04 Mikro- and Nanomechanics to Fine-	tune Sensory Receptors	12
K05 Biomimetics of functional shadow pla	ant surface structures	13
K06 The Economic Impact of Biomimicry		14
K07 To hear the direction of sound like a	fish	15
K08 Innovative Solutions Inspired by Nat	ure for Sustainable Development	16
K09 Interfacial Strategies for Smart Slipp	pery Surfaces	17
K10 Bio-inspired approaches to realize p	ractically functional surfaces	18
K11 Functional morphology of animal att	tachment devices	19
K12 Bioinspired Dynamic Material System	ms for Sensing, Harvesting, and Robotics	20
K13 How can we get more commercial in	terest biomimetics	21
K14 Closed-loop Control Using High Pov	wer Hexapole Magnetic Tweezer System for 3D Microma	nipulation22
K15 Bioinspiration of Bio-inspired Flight	Systems in Micro Aerial Vehicles	23
K16 Strong biomechanical fixation of osta	eochondral scaffold enhanced cartilage healthy formation	ı 24
· · · · · · · · · · · · · · · · · · ·	ncing aerodynamic performance of a tailless flapping-wir	•
K18 The spine: a strong, stable and flexib	ole structure with biomimetics potential	26
K19 The genius of insect architecture: les	sons from mound-building termites	27
K20 Interfacial Dynamic Behaviour on B	ioinspired Micro-nano Hierarchical Surface	28
K21 Bio-inspired mechano-functional org	ganohydrogels through multi-phase order-structure engin	eering 29
K22 Bionic multi-functional slippery surfa	aces	30
K23 Pushing the limit of droplet based en	ergy generation	31
<b>K24</b> Biomimetic on gecko locomotion: Ur	nderstanding biology for better design of gecko-mimicking	g robot32

K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection o structured biomimetic surfaces	0
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection ostructured biomimetic surfaces	6
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection ostructured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	<i>6</i>
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	s 6
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	6
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces  K35 Bio-inspired design for metal-air batteries and proton exchange membrane fuel cell	6
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces  K35 Bio-inspired design for metal-air batteries and proton exchange membrane fuel cell	_
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	5
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	4
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces  K35 Bio-inspired design for metal-air batteries and proton exchange membrane fuel cell	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces  K35 Bio-inspired design for metal-air batteries and proton exchange membrane fuel cell  K36 Bionic modification to improve soil scouring, stubble handing and herbicide incorporation of discontrollable discontrollable handing and herbicide incorporation of d	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
K34 On-off switchable behaviours for controllable manipulation via oil drive and droplet collection of structured biomimetic surfaces	
${f K34}$ On-off switchable behaviours for controllable manipulation via oil drive and droplet collection o	
K33 Bioinspired structured adhesion	
K32 Bioinspired Multi-Scale Pores and Channels	
K31 Bio-inspired Cable-driven Robotic Arms	
K30 Multiscale toughening and stiffening mechanisms of biological materials	
K29 Adhesion Control based on Peel Zone Model	
K28 Bionic Hydrogels for Controlled Drug Release	
<b>K27</b> Bioinspired wettability gradient surfaces: from design to control droplet transport	
K26 A bionic rainbow system to simulate squid iridocytes	

<b>002</b> Nonliear buckling of longan-shaped shells under uniform external pressure	66
003 A Bionic Kangaroo Leg Suspension Used for Vehicles	67
004 Design of Picking Device for Corn Stubble based on Biomimetic Optimization Model	69
<b>006</b> Bionic Design and Test of Wet Clutch Friction Plate in Power Shift Gearbox	70
<b>008</b> Application of nanocones array to guide ionic wind for improving hotspot removal of electronics	71
<b>009</b> Structure analysis of wings in dragonfly and Asian ladybird beetle for bionic deployable wing design	72
010 How does ostrich foot attenuate ground impacts? A multiple coupling cushioning and shock absorption system	
011 Bionic design and performance analysis of cushioning unit for sneaker	74
012  Experimental Study on Drag Reduction Characteristics of Bionic Earthworm Self-lubrication Surface	e 75
013 A Bioinspired Superomniphobic Surface with Switchable Wetting Property	76
016 Experimental and numerical study on the bionic tube under oblique loading and multi-objective optimization	77
017 Development and Evaluation of a Draft Force for Multi-Claw Combination of Mole Rats Using the Lof Classical Mechanics	
018 Review on Different Modes of Biomimetic Wall-Climbing Robots	79
019 Research of a novel bionic piezoelectric actuator	80
<b>020</b> Research on Binocular Vision in Identifying Farmland Micro Obstacles for Agricultural UAVs	81
<b>021</b> The mechanism of high-performance adhesion of Sinogastromyzon	82
022 Tactile Sensing of Human Hand Manipulation: Modelling, Simulation and Measurement	83
<b>023</b> Fabrication of robust superhydrophobic coatings and its durability evaluation	84
<b>024</b> Development of a Novel Robotic Hand Inspired From Human Musculoskeletal Biomechanics	85
<b>025</b> Bioinspired Surgical Grasper Based on the Study of Boundary Friction on Tree Frog's Toe Pads	86
026 A Bionic Wheel-foot Compound Spider Robot.	87
027 A Bionic Anti-wear Material with Lubricant Self-secretion	88
<b>028</b> Experimental Investigation on the Adhesion Mechanism and Its Influence Factors of Leech (Whitman pigra) Suckers	
<b>029</b> Study on friction performance of bionic dimple-shaped piston of mud pump	90
<b>030</b> Development and test of biphilic surfaces with biomimetic patterns for heat transfer enhancement	91
031 Drag-reduction mechanism of thermally conductive elastic bionic wall based on the method of fluid- structure—heat coupling	
032 Research on the high adhesion of abalone and its adhesion mechanism	93
033 Large-Scale and Low-Cost Fabrication of Continuous and Efficient Sarracenia-Inspired Water Colle	
034 Design and experimental analysis of bionic crowns based on the layered structure of human natural	
036 Development of a low cost linkage and Tendon-Driven Hybrid Anthropomorphic Robotic Hand	96
<b>037</b> A bionic method for the crashworthiness design of conical tube structures inspired by yak horn	97
<b>038</b> Bionic Design of Thin Wall Tubes Based on Feather Structure of the Bean Goose	98
<b>039</b> Design of an assisting equipment for abdominal flexion and extension training	99
<b>040</b> Based on Meles meles Linnaeus's teeth design for the hi-metal hand- saw blade	100

<b>041</b> Bionic design and finite element analysis of sandwich panels inspired by the structure of seagull feath	
<b>042</b> Research on mechanical properties of important muscles around the human knee joint based on shear wave elastography	•
043 Numerical simulation of pulsating flow characteristics in stenotic femoral artery	103
044 Analysis and Simulation of Bionic Pecking Mechanism Inspired by Woodpecker Pecking	104
045 Bio-inspired blade sections of marine propeller for increasing efficiency	105
<b>046</b> Fabricating waterborne superhydrophilic/superoleophobic coatings for oil-water separation	106
047 Reverse Engineering and Parametric Modeling of Back Feature Surfaces of Sandfish	107
048 The Microstructure and Wear-resistant Properties of Cricket Wings Friction Parts	108
051 Bionic Janus Materials	109
<b>052</b> Study on the Micro-structure and Tribological Properties of the Sandfish Skin	. 110
<b>053</b> Abrasive wear of micro-spiked convex domes surface	111
<b>054</b> Study on Microstructure and Tribological Properties of the Sandfish (Scincus scincus)	. 112
<b>055</b> Design and experiment of the bionic drag reduction surface for soil imprinting wheel based on discrete element method	
<b>056</b> Development of a 3D printed bipedal robot: Humanoid research platform to study human locomotion.	. 114
<b>058</b> Effects of Pheasant Toe Surface Structure on Adhesive Performance under Grassland Conditions Base Reconstruction Model Test	
<b>059</b> Study in bionic variable stiffness joints based on the stable and energy- saving features of the intertars joint of ostrich	
<b>060</b> Design of tailless flapping wing micro air vehicle with high flapping amplitude	. 117
<b>061</b> Study on the characteristics of rigid-flexible coupling biological assembly of hare torso	. 118
<b>062</b> Optimization design and performance analysis of bionic sprint spikes based on ostrich foot toenails	. 119
<b>063</b> Effects of ankle push-off timing on walking speed of bionic planar biped robot	. 120
<b>064</b> Adaptive structural reorientation: Developing extraordinary mechanical properties by constrained flexibility in natural materials	121
<b>065</b> Nature-Inspired Nacre-Like Composites Combining Human Tooth-Matching Elasticity and Hardness Exceptional Damage-Tolerance	
<b>066</b> Orientation-dependence of the mechanical behavior in mollusk shells with laminated and crossed-lam structures	
067 Effects of Bionic Units in Different Densities on the Wear Behavior of Bionic Impregnated Diamond B	
<b>068</b> Bioinspired nanohybrids of TiO <sub>2</sub> /Au nanoparticles for enhanced photocatalytic degradation and anti-bacterial property	125
<b>069</b> Improving the Micro Structure of Rough Surface with Truncated Pyramid Shape to Hinder Wetting Transition	126
<b>070</b> Enhancement of hydrocyclone DOWS technology with alternating electrodes by mimicking earthworm	ı 127
<b>071</b> Slippery liquid-infused porous electric heating coating for de-icing	128
072 Gait smoothing transformation method for quadruped robot on rough terrain	. 129
073 Bio-inspired honeycomb film based on semiconducting polymer	130
074 Sponge-like MnO2 Aerogels for Supercapacitor Electrodes	131
<b>075</b> Rioinspired self-standing macroporous Au/ZnO sponges for enhanced photocatalysis	. 132

076 Progress of Chinese "Dove" and Important Ideas for Future Studies on Flight Mechanisms of Birds on Application Systems	
077 Nanomechanical Properties and Bionic Architecture Design Based on Elytron of Frog-legged Leaf B	
078 Biomechanical analysis of material and structure property of German Shepherd Dog's paw pad	135
079 Bio-inspired optimization of mincing tool	136
080 Ion channel inspired molecular devices	137
<b>081</b> Convex lens-like nacre: excellent resistance to penetration and bending deformation	138
082 Size effect of nacre structure in Cristaria plicata shell: Role of Microcracking	139
<b>083</b> Effect of salt concentration on the conformation of poly (ethylene oxide)	140
<b>084</b> Effect of Floor Morphology on Human Gait under Heeling Condition	141
085 Humidity responsive nanotube bundle driven by capillary condensation and evaporation	142
086 Dynamic Contact Angle Measurements on Lubricant-Infused Surfaces	143
<b>088</b> Effectiveness of a New Constant Workload Cycle Ergometer for Assessing Cardiopulmonary	144
<b>089</b> Hydrodynamics of Air Spreading through Wetted Cellulose Membranes Implying Safety Function of Membranes in Plants	
<b>090</b> Investigation of spiders' motion kinematics and the driving modes of hydraulic joints under varied pavement environments	146
092 Ground reaction forces during walking on platform with acceleration motion	147
093 Design of a multi-modal robot on water surface capable of jumping and gliding	148
094 Reeling thin, sticky, strong micro thread off a glue stick	149
095 Investigation of Brine Shrimp's Swimming Motion in Toxic Aqueous Environment	150
<b>096</b> Rigid-flexible coupling loading mechanism of ostrich foot tarsometatarsus with high strength and light weight	
097 Nanotechnology, Bionics and Scientoonics: A New Hope to Change the World	152
<b>099</b> Aerodynamic performance of the three dimensional flexible hovering wing	153
100 Swarm intelligence-inspired self-assembling strategy for multifunctional optoelectronics devices	154
101 Crashworthiness investigation of a bionic multi-cell tube under axial and oblique impact loading	155
102 Design method for a bionic upper limb forearm based on tensegrity structure	156
104 Research on a Bionic Positionning Algorithm for Underwater Docking System Based on Active Electrolocation	157
105 Design of a flexible finger-inspired stretch forming machine for the fabrication of large radius bends	-
106 Aerodynamic Performance of a Passive Pitching Model on Bionic Flapping Wing Micro Air Vehicles	159
107 3D printing of biomimetic shape changing actuators	160
108 Tunable Frictional anisotropy of 3D printed biomimetic surfaces/interfaces	161
109 3D Printing Bionic Wheat Awn Device to Realize Cargos Directional Transportation	162
110 Bio-inspired Smart Wet Adhesive and Device	163
112 Research on Track and Positioning Estimation of Autonomous Vehicles Based on Multi-sensor Fusion	n 164
113 Classification of Diabetic Retinopathy Based on Convolution Neural Network	165
115 Biointerface Effects on the Viscoelasticity of Nanoparticle Hydrogels	166

116 Experimental Study on 'Snake-type' Vibration Cutting Method for Cutting Force and Cutting Heat Reductions	167
117 Research on the design of hybrid driving bionic flexible arm	168
119 The research of biomimetic driving behavior by polymer brushes modified film	169
120 Bio-inspired Triboelectric nanogenerator for energy harvesting	171
121 Measurement of drag force generated by tiny insect wing using a self- sensing microcantilever	172
<b>122</b> Oscillating Performance and Fluid-Structure Interaction Mechanism of a Small Koi's Caudal Fin-L Underwater Propulsion Actuated by MFC	
123 Application of bioinspired superhydrophobic surface in fluid drag regulation	174
124 Study on bionic lubrication of structural high strength hydrogels	175
125 Bio-inspired Tubular Hydrogel Actuation System	176
126 Direct ink writing of high-strength and swelling-resistant biocompatible physical-crosslinking hydro	
127 Bionic Aqueous Lubrication Based on Interfacial Supramolecular Host-guest Interaction	
128 High Performance, Flexible and Renewable Nano-Biocomposite Artificial Muscle Based on Mesopo Cellulose/ Ionic Liquid Electrolyte Membrane	
129 MULTI-ANALYSIS: FROM SENSING TO PERCEPTION	181
130 Multi-functional Bio-inspired Integrated Thermal Protection Structures: Design, Numerical Simulation Selective Laser Melting Fabrication	
131 Functional Principle Bionic Exploration In depth Understand Nature's Way and Solve Human Need	ls 183
132 Biomimetic Press Roller Type, Material, Velocity and Packing Force Effects on Compaction Characteristics in Black Clay Soil of Northeast China	184
133 Ethology study of homing pigeons for geomagnetic navigation	185
134 Bioinspired Soft Actuators for Biomedical Applications	186
136 Leaf vein-inspired superhydrophilic tracks for water collection	187
137 Design and evaluation of bionic discs for cutting sugar cane	188
138 Research on Bio-inspired Guidance Strategy Based on Visual Optical Flow Method	189
140 Engineered Bacterial Biofilms as Living Functional Materials	190
141 Optimization Design and Analysis of Bionic Beetle Flapping Mechanism with Variable Motion Characteristics	191
143 Preparation and Drag Reduction Performance of Marine Biomimetic Coatings	192
144 Design and Test of a Quadruped Wall-Climbing Robot Using Bioinspired Spine Adhesive Structure	193
145 A Bioinspired Microfluidic System with Thermal Responsive Liquid-Gating and Antifouling Propert	ies 194
146 What does a hand-over tell? Individuality of short motion sequences	195
147 Synchronized locomotion of two auto-propelled flapping foils in tandem arrangement	196
150 Simple microfluidic oscillator using a single microvalve	197
151 Nature-Inspired anti-reflection in visible range and selective reflection in NIR nanosurface for concentrator photovoltaic	198
152 Flexible Lateral Line Sensor Based on BTO/P(VDF-TrFE) Nanofiber Membrane for Flow Detection	ı 199
<b>153</b> A bionic adhesive disc for torrent immune locomotion inspired by the Guizhou Gastromyzontidae	200
154 Design for Biomimetic Anti-Erosion of Water Hydraulic Valve Plug Based on Multi-source Coupled Bionic Method	d 201

155 The formation of the attached leading-edge vortex in self-propelled fish-like swimmer with rigid and flexible caudal fins	202
156 Bio-inspired Motion Planning for Mobile Manipulator Based on the Tau Guidance Theory	203
157 Design method for an adaptive bio-inspired foot mechanism based on tensegrity structures	204
158 Design and Analysis of Flexible Transfemoral Prosthetic Socket Complying with Muscle Activity	205
159 The highly stable air-operating ionic polymer metal composite actuator with consecutive channels produced by copper foam	206
160 Investigation of bionic flexible wing on a 2-DOF flapping mechanism test bench	207
<b>161</b> Bionic design and evaluation of PEEK costal cartilage prosthesis fabricated by 3D printing	208
<b>162</b> The Tribological Behaviors of Bio-inspired Surface Textures from Dorsal, Lateral and Ventral Scale Eryx tataricus	
163 The design of 3D printed diabetic insoles with functional gradient modulus	210
164 Development of Bionic Knee Joint Inspired by Articular Surfaces and Ligaments	211
165 Biomechanical Analysis of the Pelvis in Routine Activities	212
166 A Bionic Walking-Type Piezoelectric Actuator based on Asymmetrical Flexure Mechanisms	213
167 Scanning Electron Microscopic Analysis of the Surface Structure of Antlion	214
168 A Bionic Trichobothria-Slit Sensilla Combined Sensor Inspired by Scorpion Ultrasensitive Mechanis	m 215
169 Bionic capillaries-based research on the fatigue characteristics of single red blood cell	216
170 Effect of the porous surface on the flow field over an owl-based airfoil	217
171 Investigation of Bionic Windbreak Fences on the Capturing of Particulate Matter	218
172 Design and Evaluation of Bionic Membrane Filter used for the Gases Detection of Electronic Nose in Dusty Environment	
173 Kinematics and mechanics analysis of mandible strike of Odontomachus monticola	220
174 Animal foot pad contact mechanism, properties and functions for bionic application	221
175 Application of bionic technologies on the fracturing plug	222
176 Tribology performance of surface texturing plunger	223
177 Influence of carbon dioxide plasma treatment on the dry adhesion of vertical aligned carbon nanotubarrays	
178 Light-fueled soft robot for versatile terrains	225
179 Fabrication of a Bionic Fibrous Sinusoidally- architected Helicoidal Structure Inspired from the Stomatopod Dactyl Clubs	226
<b>180</b> The foot-ground interaction mechanism and compliance behavior control for legged robots in unstructured environment	227
181 PIV Measurement of Flow Field Structure on the Surface of Puffer Fish and its Drag Reduction  Mechanism	228
182 A Soft Finger Rehabilitation Device Using Shape Memory Alloys in Stroke Patients	229
183 Influence of cervical fusion cage shape design on the postoperative implanted mechanical properties finite element analysis	
<b>184</b> The compressive response of porcine muscle: Experimental and constitutive analysis	231
185 Development of Insect-inspired Tailless KUBeetle Flying Robot: Progress and Future Directions	232
186 Biosonar Waveform Design and Signal Processing Based on Biological Behavioral Intelligence	233
187 Effect of Bionic Vibrissae on the Classification Accuracy of Electronic Nose	234

188 Research on drag reduction characteristics and flow field structure of bionic non-smooth surface in by the spines of puffer skin	•
189 Liquid directional control on biomimetic structures	236
190 Bionic Structural Design of Cat-Paw Motorcycle Tire Crown	237
191 Study on the Heat Reduction Effect of a Biomimetic Unidirectional Transporting Channels Inspired Nepthese alata	-
192 Wood-inspired multi-channel cathode prepared by 3D-printing for high-performance Zinc-air batter	
193 Bio-inspired Nano Rotor Investigation Based on UVLM	
194 An intelligent adaptive method for quadruped robots in complex terrain	241
195 Bio-inspired smart surface with switchable isotropic / anisotropic wetting	242
196 Coating of the superhydrophobic fireproof and corrosion resistant for transmission lines	243
197 Towards a more Biophilic future	244
198 A Wheel-legged Hybrid Mechanism for Bionic Legged Robot	245
199 Biomimetic groundwork for thermal exchange structures inspired by plant leaf design	246
200 Bio-inspired Algorithms and Their Applications	247
201 A New Ant-colony Metaheuristic Algorithm for Optimising Multi-level Truss Topological Design	248
202 Review of Bio-inspired Electromagnetic Fields and Their Effects on Health Conditions	249
203 Structural coloration of wing scale of Papilio maackii depending on multifilm interference	250
204 Study on Anti-Reflection Performance of Titanium Alloy Microstructure Surface Based on Nanoseco Laser under Different Ultrasonic Cleaning Conditions	
205 Foreleg modelling and excavation movement simulation in mole crikets	252
206 Development of an excavation method to stabilize a closed landfill site using a biomimetic expanding	_
207 Research on Mechanical Properties and Shape Memory Properties of Biomimetic Structural Units B on NiTi Alloy	
208 The Biomechanical Influence of the Subscapularis Tendon Tears to Glenohumeral Joint Stability: A Simulation Study	255
209 Research on Impingement Cooling for Bionic Surfaces in a Simplified Transition Segment	256
210 Design of a soft robotic glove for hand rehabilitation	257
211 Effects of Elastic Joints on the Performances of a Close-Chained Rod Rolling Robot	258
212 A high real-time electromagnetic actuation drive system for locomotion of intravascular microrobot	259
213 Research on Automatic Color Change System Based on Biomimetic Photonic Crystals	260
214 Biomimetic Nanopillars and Nanocones on flexible Polymer Substrates by Plasma Nanotexturing	261
216 Fabrication of bio-inspired non-fluorinated superhydrophobic surfaces with anti-icing property and wettability transformation analysis	
217 Microscopic Structure of the Body Surface of Frog (Pelophylaxnigromaculata)	263
218 Study on structural color of birds' feathers	264
219 Fabrication of superwetting Cu@Cu2O cubic film for oil/water emulsion separation and photocatal degradation	
220 Creeper-inspired Fibrillar Adhesive for Reversible Adhesion on Rough Surface	266
221 Rio-inspired Gradient Micropillars Revond T-shaped Adhesive Microstructure	268

<b>222</b> A design of modularization pallet with honeycomb structures and compressive analysis	269
223 Promoting Fast Droplet Bouncing on Sculptured Surfaces	270
<b>224</b> Research on Restore Characteristics of Bionics Protective Self-Repairing Structure Base on NiTi	Alloy 271
225 Thrust study of membrane flapping wing micro aerial vehicle based on UVLM	272
226 Development of in-situ 3D bio-printing system and process for skin generation	273
227 Research on Multi-directional Motion Path Tribological Behaviour between CoCrMo and Highly Crosslinked Polyethylene	
228 Stress distribution in the design of bionic adhesive structures with variable stiffness	275
229 Study on Boiling Heat Transfer Performance of T-Groove Microstructure	276
230 Development of low noise mixed flow fans with bio-inspired grooves	277
231 High sensitivity sensor based on olfactory lamellae of catfish	278
232 A biomimetic surface with switchable wettability and corrosion resistance for microdroplet manip	
233 Low-Voltage-Driven Soft Actuators based on Ionic Polymer-Metal Composite Artificial Muscles	
234 Multifunctional structural color hydrogel film towards sensing and display	281
235 A Novel Method for Preparation of Complex Gecko-inspired Microfiber Array Adhesion Material	ls 282
237 The SERS Substrate with Arrayed-nanopillar Fabricated by Nanoimprinting the Diatom Frustules	s 283
238 Research on Trot gait planning of imitation goat quadruped robot based on modified compound comethod	•
239 Construction and verification of mathematical model of irregular curved surface morphology of to plastron	
240 Carbonized sucrose-coated PDMS sponge for efficient solar steam generation and desalination of water	
241 Printing Ionic Polymer Metal Composite Actuators by Fused Deposition Modeling technology	
242 Wet adhesion inspired by tree frog for wide temperature range	288
243 The impact of a flexible stern on boat speed	289
<b>245</b> 4d Printing of Actuators Possessing Spatially Continuous Motions via Speed-Defined Microstruct Assemblies	
246 Fabrication of biomemitic superhydrophobic patterned surfaces on the stainless steel substrate wanisotropy	
247 Performance Analysis of Bionic Press Roller by Discrete Element Method	292
248 Interfacial Interaction dominated charge transfer mechanism and its transition at graphene/meta-	
249 Whale baleen: Structure, mechanical properties and efforts at bioinspiration	294
250 A bionic gecko toe for climbing on both smooth and rough surfaces	295
251 Measurement and Analysis of Internal Flow Field Characteristics of Downhole Bionic Power Ger Based on PIV	
252 Genetic Algorithm Inspired by Octopus RNA Editing	297
253 Research on motion evolution of soft robot based on VoxCAD	298
254 A smart hydrogel system for visual detection of glucose	
255 A facile modifier-free approach to fabricate antistatic superhydrophobic composite coating with remarkable thermal stability and corrosion resistance	

256 Bio-inspired flight-control strategy for multi-rotor drones	302
258 The Fabrication of Bionic Stingray Based on IPMC	303
<b>259</b> A biomimetic multifunctional optical finger for simultaneous discrimination of surface texture, softne and temperature	
260 Driving Performance of Miniature Linear Actuator Based on Ionic Polymer Metal Composite	305
<b>261</b> Study on hydrodynamic force and flow field of robot fish	306
262 Pomelo peel-inspired gradient porous structure with excellent energy dissipation	307
<b>263</b> Preparation of superhydrophobic surface on magnesium alloys by etching method	308
<b>264</b> The Optimization of Hexagon-Textured Surface For Tribological Properties Inspired by Snake Scale	309
<b>266</b> Influence of Geometrical Features of Objects on Active Electric Field Positioning System	310
<b>267</b> The study of cooperation mechanism of locust legs, wings and abdomen for jumping	311
268 Bioinspired Dual-enzyme Colloidosome Reactors for High-Performance Biphasic Catalysis	312
270 Design of a Bio-inspired Anti-Erosion Structure of Water Hydraulic Valve Core: An Experimental St	•
273 A study on the mechanism of catheter moving forward and backward in the form of double folding shippiring earthworm locomotion	
274 TiO2 nanotubes improve soft tissue attachment on Intraosseous Transcutaneous Amputation prosthe:	sis 315
276 Super-repellent and Contact-killing Antimicrobial Surface	316
277 The Effects of Bio-inspired Electromagnetic Fields on Normal and Cancer Cells	317
278 Bionic design methodology for high toughness structure	318
279 Preparation and characterization of transparent underwater superoleophobic coatings based chitin nanofibers and polyvinyl alcohol	. 3189
281 Bioinspired reversible photoresponse materials based on the microstructures of butterfly wing scales	320
282 Ultrasensitive flexible strain sensor based on the controlled cracks inspired from the mechanoreceptor scorpion	
283 A Bionic High Efficiency Oscillating Wind-electric Conversion Nanogenerator For Low Wind Speed Inspired By Scorpion Trichobothria	
284 Analysis of the relationship between superhydrophobicity and friction properties on stainless steel surfaces ablated by femtosecond laser	323
285 Biomimetic Hierarchically Structured Films with Broadband and Omnidirectional Antireflection and Antifogging Properties Inspired from Butterfly Wings	
286 Biomimetic Vapor Sensor with Sandwich-Like Vapor Trapping Structures	325
287 Rapid fabrication of bio-inspired antireflection film replicating from cicada wings	326
289 Bio-inspired flexible strain sensor based on paper coated with cracked graphene layer	327
<b>290</b> Bioinspired robust highly-transparent surperhydrophobic surface based on PDMS-SiO2 nanospeher with antifogging and self-cleaning properties	
291 Biomimetic antireflection film based on rose petals	329
292 High-sensitivity and low-cost flexible strain sensor with bioinspired micro-scale cracks	330
293 Multimodal Biometric Recognition System Based on Bionic Crack Sensor	331
294 A Lunar Sampling Feed Scheme based on Artificial Intelligence	332
296 Preliminary Study on the Members' Management of International Academic Organization	333
297 What Engineers can learn from Honeybeesbiological inspired navigation system	334

298 Properties of chitosan/starch packaging films bioinspirea by the structures of the fruit peel	333
299 Preparation and characterization of hydrophobic starch nanocrystals through crosslinking modification for reinforcing hydrophobic polymer matrices	
300 Development and impact of the Newsletter to the ISBE	337
301 Biomimetics: An Academic Progress Report	338
<b>302</b> Biomimetic Nanostructured Surface with Smart Transformation between "Killing" and "Releasing" Bacteria	
<b>303</b> Observation on the microstructure of the sensory organs of the scutigera coleoptrata	340
<b>304</b> Data Acquisition and 3D Reconstruction of Peach Tree Crown Morphology based on bionic vision	341
<b>305</b> Optimal wing geometry and kinematics of a rhinoceros beetle for minimum power consumption	342
<b>306</b> Mesoscopic Analysis of Drag Reduction Performance of Bionic Furrow Opener based on the Discre Element Method	
<b>307</b> Morphology and tensile properties of the forewing costal vein of the honeybee	344
<b>308</b> Effect of the yaw angle on the drag reduction performance by riblets	346
<b>309</b> Cartilagephilic Non-slip Interface for Articular Contact Pressure Distribution Film Sensing	347
310 Experimental study on boiling heat transfer of T-shaped microstructure	348
312 Bionic design and optimization of vibration reduction for legged robot foot	349
313 Study of mucus absorbing mechanism of Dabryanus loach and bionic drag reduction	350
314 A 3D Printed Bionic Intelligent Hydrogel Drug Controlled Release Device	351
316 Butterfly wing inspired micro-cavity surfaces exhibiting capillary pressure dependent wetting scenar	
<b>318</b> A bionic approach of genotyping hepatitis B virus by ELISA with two genotype-specific antibodies	353
319 The dynamic non-wetting mechanism of elastic kingfishers	354
320 Bionic optimization of furrow opener	355
321 Nature Inspired Materials Processing to Mimic Hierarchical Biomineralization	356
322 Numerical prediction on erosive wear reduction of bulk-solids-handling equipment surface using bid design	
<b>323</b> Analysis of wear-resistance characteristic of bionic ribbed geometrical structure surfaces	358
<b>324</b> Performance Evaluation of Obsolete Agricultural Machinery Disassembly Using IFOA and Ultimate Cross-efficiency	
325 Multi-objective low-carbon disassembly line balance for agricultural machinery using MDFOA and AHP	
<b>326</b> The multi-scale structure of biomimetic rice leaf and anisotropic superhydrophobic properties	361
327 Experimental Study on Drag Reduction Characteristics of Bionic Earthworm Self-lubrication Surface	e . 362
329 Development of Virtual Prototyping of Deployable Manned Lunar Vehicle and Simulation of Its Mol Performance	
330 Noise-reduction mechanism of bionic non-smooth wing prototypes with different bionic trailing edge shapes	
332 Hot spot analysis of bionic technology in China's agricultural field	365
333 Effects of Elastic Joints on the Performances of a Closed-Chain Rod Rolling Robot	366
334 Bionic goat quadruped robot mechanism design and gait planning	367
335 Trafficability avaluation model for lunar royar based on terramechanics	368

336 Liquid marbles and liquid plasticines with nanoparticle monolayers	369
337 A Bioinspired Antifogging/Frost-Resistant Surface with Self-Healing Ability	370
338 A Novel One-pot Synthesized Polyimine Vitrimer Composite Inspired by Biomineralization	371
339 Fabrication and Property Study of Bio-inspired Spermidine Contained Electrospun Fibrous Films.	372
<b>341</b> Effect of wing vortex and wake on thrust for flapping wing micro aerial vehicle based on UVLM	373
342 Flexible and soft electrically tunable photonic crystals mimicking chameleon skins	374
343 Wearable biofuel cell in sportswear	375
344 Application of Cavitation Bubble and Shock Wave of Pistol Shrimp	376
345 Characteristics of Mucus Secretion of Loach Skin	377
346 Research on flow field perception of moving carrier based on artificial lateral line system	378
347 Extracellular matrix-mimicking single-chain atomic crystals with exceptional biocompatibility and bioactivity	
348 Biomimetic press roller type, material, velocity and packing force effects on compaction characterial black clay soil of northeast China	
<b>350</b> Computational Fluid Dynamics Study on Solid Particle Erosion on Helicopter General Rotor Blade Mounting Bionic Layer Blade Surfaces	
<b>354</b> Mandibles of the ant Harpegnathos venator are multifunctional grippers	382
355 Kinematics of gecko climbing: the lateral undulation pattern	383
356 Biomimetic dual-functional nanospheres for treatment of osteoarthritis	385
357 Structure-property-function relationship in the cuticle of locust tibiae	386
359 Emission Enhancement of Fluorescent Molecules by Antireflective Arrays	387
360 Study on Mussel Foot-Byssus Protein Mimetic polymers	388
361 Modeling and construction of fluid bionic propulsion equipments	389
<b>362</b> Design and Preparation of Bionic Intelligent Hydrogels and Investigation of Their Self-driven Mechanisms	390
363 Improvement of Wheel Locomotion on Soft Ground by Applying Animal Shape and Motion	391
<b>364</b> Trafficability evaluation model for lunar rover based on terramechanics and bionics	392

Paper ID: K05

#### Biomimetics of functional shadow plant surface structures

Cornelia F. Pichler<sup>1</sup>, Victor Merza<sup>1</sup>, Matthias P. Weinberger<sup>1</sup>, Anja M. Kositz<sup>1</sup>, H. Hutter<sup>2</sup>,

Ille C. Gebeshuber<sup>1\*</sup>

Institute of Applied Physics, Vienna University of Technology, Vienna, 1040 Austria
 Institute of Chemical Technologies and Analytics, Vienna University of Technology, Vienna, 1040 Austria
 \*Correspondence: Ille C. Gebeshuber (gebeshuber@iap.tuwien.ac.at)

#### **Abstract**

To elucidate the function of various plant parts for potential biomimetic applications can be complex due to the multifunctional, hierarchical structure of the inspiring creatures. Single organisms of the same plant species look different depending on the environment where they grow. Such plants might have the same genotype, i.e., their internal genetic coding is the same, but their physical appearance, their phenotype, depends on the external conditions. Phenotypic plasticity is a general property of organisms. The surface structures in plants are genetically controlled, and changes in pigmentation and structure may correlate with environmental factors. Very strong are the differences in plant species that have evolved ways to deal with low light conditions, such as deep shade plants in the tropical rainforest. The different phenotypes depend on the conditions in which the shadow plants grow (UV intensity, light intensity, altitude, plant and animal communities in the vicinity, latitude, etc.). The keynote presentation will introduce studies performed on phenotypical variations of shadow plant leaves micro- and nanostructures yielding environment dependent optical effects such as changes in coloration and light reflection / absorption characteristics. Such studies give important insights into the function of the respective micro- and nanostructures and facilitate understanding of the structure-function relationship and related biomimetics. Some of these changes might be pure structural changes (as opposed to chemical changes), and thereby easily transferable to other materials - making use of the biomimetic principle "structure rather than material". Following a methodology that was developed by Dr. Kerstin Koch and coworkers, the plant surface structures are transferred to stamps (negative imprints) made from polyvinylsiloxane and with these master stamps further transferred to materials such as window color, beeswax, sugar, Carnauba wax and epoxy resin (positive imprints). These structures are then applied to technical surfaces (e.g., solar cells) and the changes in performance measured.

**Keywords**: environment dependent biological structures, functional micro- and nanostructures, imprint, shadow plants, stamp, structure-function relationship

Organized by: International Society of Bionic Engineering (ISBE)

Korean Society of Mechanical Engineers (KSME)

Hosted by: Jilin University, China

Sponsored by: National Natural Science Foundation of China (NSFC)

Jilin Association for Science and Technology

ISSN 1672-6529



ICBE2019 & ISNIT2019 24-26 SEPTEMBER 2019 CHANGCHUN,CHINA